


1	2	3	4	5	6	7	8
---	---	---	---	---	---	---	---




1X	ORIGINAL	Judyyan	
REV.	DESCRIPTION	DR.BY	ECN. NO.

DR.BY.: Judyyan CHKD.: Hu.ch APPD.: Billy	GENERAL TOLERANCE:	
	LINEAR	ANGLES
	X.: ± 0.30	X': $\pm 5.0^\circ$
	X.X: ± 0.25	X.X': $\pm 3.0^\circ$
	X.XX: ± 0.13	X.XX': $\pm 2.0^\circ$
	X.XXX: ± 0.10	X.XXX': $\pm 1.0^\circ$

PART NO : PM55020R-XXFY-03-C
DWG. NO.:
TITLE : POWER PIN AND SIGNAL PIN R/A PLUG ASSY-TEN60 POWER FAMILY
DATE: 07-Dec-2024





HJBRIGHT® 東莞市華晶電子有限公司
BRIGHT-E ELECTRONIC TECHNOLOGY LIMITED

SHEET: 3/3
SCALE: 1:1
UNIT: mm



THIRD ANGLE PROJECTION

A4



RECOMMENDED PCB LAYOUT

DR.BY.: Judyyan	GENERAL TOLERANCE:		PART NO : PM55020R-XXFY-03-C		HJBRIGHT® 東莞市華晶電子有限公司 BRIGHT-E ELECTRONIC TECHNOLOGY LIMITED			
	LINEAR	ANGLES	DWG. NO.:					
CHKD.: Hu.ch	x.: ±0.30	x°: ±5.0°	TITLE : POWER PIN AND SIGNAL PIN R/A PLUG ASSY-TEN60 POWER FAMILY		SHEET: 2/3			A4
	x.x: ±0.25	x.x°: ±3.0°			SCALE: 1:1			
APPD.: Billy	x.xx: ±0.13	x.xx°: ±2.0°			DATE: 07-Dec-2024			
	x.xxx: ±0.10	x.xxx°: ±1.0°						