

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.

Connectors for Use in Data, Signal, Control and Power Applications - Component

COMPANY

BRIGHT-E ELECTRONIC TECHNOLOGY LTD

No. 1 He Shi Road, Huang Ni Tang, ChangPing Town
Dongguan, Guangdong 523567 China

E357750

Marking: Company name and model designation.

Note: For additional marking information, refer to the [Guide Information Page](#).

Model(s): A6358R-24FH-C, A6358R-24MH-C, A6358R-31FH-C, A6358R-31MH-C

Component Connector, Model(s): Cat. NO. : 126-3-487-13L

Component Connector, Model(s): A4140R-08Q-01, followed by -A, -B or -C.

Connectors, Model(s): P8001S-04Q

Connectors, Model(s): 200, followed by any one to four digits, letters or blank, followed by dash, followed by even number from 02 thru 50, followed by A thru Z or blank, followed by any one to four digits or blank, followed by dash, followed by any one or two digits, letters or blank, followed by dash, followed by any one or two digits, letters or blank.

Connectors, Model(s): 254, followed by any one to four digits, letters or blank, followed by dash, followed by 01 thru 40, followed by A thru Z or blank, followed by any one to four digits, letters or blank, followed by dash, followed by any one to three digits, letters or blank.

Connectors, Model(s): A10, followed by 000 thru 999, followed by A Thru Z, follow by -02 thru -06, follow by A thru Z, follow by -13, follow by -A thru -Z, follow by A thru Z, follow by 1 thru 9.

Connectors, Model(s): A20, followed by any one to four digits, letters or blank, followed by dash, followed by even number from 02 thru 40, followed by A thru Z or blank, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three digits, letters or blank.

Connectors, Model(s): A250, followed by any one to four digits, letters or blank, followed by dash, followed by even number from 02 thru 16, followed by A thru Z or blank, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three digits, letters or blank.

Connectors, Model(s): A30, followed by any one to four digits, letters or blank, followed by dash, followed by even number from 02 thru 24, followed by A thru Z or blank, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three digits, letters or blank.

Connectors, Model(s): A350, followed by any one to four digits, letters or blank, followed by dash, followed by 02 thru 08, followed by A thru Z or blank, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three digits, letters or blank.

Connectors, Model(s): A396, followed by 0 thru 9, follow by A thru Z, or AA thru ZZ, follow by -02 thru -12, follow by A thru Z, follow by -01, follow by -A thru -Z, followed by -0 thru -9, or blank.

Connectors, Model(s): A40, followed by any one to five digits, letters or blank, followed by dash, followed by 08, 14, 23 or 35, followed by A thru Z or blank, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three digits, letters or blank.

Connectors, Model(s): A414, followed by 00 thru 99, followed by A thru Z, follow by -02, -04, -06, -08, -10, -12, -14, -16, -18, -20, -22 or -24, follow by A thru Z, follow by -00 thru -99, follow by -A thru -Z.

Connectors, Model(s): A420, followed by any one to four digits, letters or blank, followed by dash, followed by even number from 02 thru 24, followed by A thru Z or blank, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three digits, letters or blank.

Connectors, Model(s): A57 follow by 00 thru 99, follow by 1, follow by A thru Z, follow by -02, -04, -06, -08, -10, or -12, follow by A thru Z, follow by -01, follow by -A thru -Z.

Connectors, Model(s): A57, followed by 00 thru 99, follow by A thru Z, follow by -02 thru -08, follow by A thru Z, follow by -01, follow by -A thru -Z.

Connectors, Model(s): A635, followed by any one to five digits, letters or blank, followed by dash, followed by 02 thru 06, followed by A thru Z or blank, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one or two digits, letters or blank.

Connectors, Model(s): B254, followed by any one to four digits, letters or blank, followed by dash, followed by even number from 06 thru 26, followed by A thru Z or blank, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three digits, letters or blank.

Connectors, Model(s): CS254, followed by any one digits, letters or blank, followed by dash, followed by even number from 06 thru 26, followed by A thru Z or blank, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one or two digits, letters or blank.

Connectors, Model(s): H10, followed by 000 thru 999, followed by A Thru Z, follow by -02 thru -06, follow by -A thru -Z.

Connectors, Model(s): H20, followed by any one to four digits, letters or blank, followed by dash, followed by even number from 02 thru 40, followed by P, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three digits, letters or blank.

Connectors, Model(s): H250, followed by any one to four digits, letters or blank, followed by dash, followed by even number from 02 thru 16, followed by P, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three digits, letters or blank.

Connectors, Model(s): H30, followed by any one to four digits, letters or blank, followed by dash, followed by even number from 02 thru 24, followed by P, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three letters or blank.

Connectors, Model(s): H350, followed by any one to four digits, letters or blank, followed by dash, followed by 02 thru 08, followed by P, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three letters or blank.

Connectors, Model(s): H396, followed by 0 thru 9, or 00 thru 99, follow by -02 thru -12, follow by -00 thru -99, follow by -A thru -Z.

Connectors, Model(s): H40, followed by any one to five digits, letters or blank, followed by dash, followed by 08, 14, 23 or 35, followed by P, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three digits, letters or blank.

Connectors, Model(s): H414, followed by 00 thru 99, followed by A thru Z, follow by -02, -04, -06, -08, -10, -12, -14, -16, -18, -20, -22 or -24, follow by P, follow by -A thru -Z.

Connectors, Model(s): H42, followed by any one to four digits, letters or blank, followed by dash, followed by even number from 02 thru 24, followed by P, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three letters or blank.

Connectors, Model(s): H57, follow by 00 thru 99, follow by 1, follow by -02, -04, -06, -08, -10, or -12, follow by P, follow by -A thru -Z.

Connectors, Model(s): H57, followed by 00 thru 99, follow by -02 thru -08, follow by P, follow by -A thru -Z.

Connectors, Model(s): H635, followed by any one to four digits, letters or blank, followed by dash, followed by 02 thru 06, followed by P, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one or two digits, letters or blank.

Connectors, Model(s): S20, followed by any one to four digits, letters or blank, followed by dash, followed by even number from 02 thru 50, followed by A thru Z or blank, followed by any one to three digits or blank, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three digits, letters or blank.

Connectors, Model(s): S254, followed by any one to four digits, letters or blank, followed by dash, followed by 01 thru 40, followed by A thru Z or blank, followed by two digits or blank, followed by dash, followed by any one or two digits, letters or blank, followed by dash, followed by any one to three digits, letters or blank.

Last Updated on 2025-09-23

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.

Connectors for Use in Data, Signal, Control and Power Applications Certified for Canada - Component

COMPANY

BRIGHT-E ELECTRONIC TECHNOLOGY LTD

No. 1 He Shi Road, Huang Ni Tang, ChangPing Town
Dongguan, Guangdong 523567 China

E357750

Marking: Company name model designation, and the Recognized Component Mark for Canada 

Note: For additional marking information, refer to the [Guide Information Page](#).

Model(s): A6358R-24FH-C, A6358R-24MH-C, A6358R-31FH-C, A6358R-31MH-C

Connectors, Model(s): P8001S-04Q

Connectors, Model(s): 200, followed by any one to four digits, letters or blank, followed by dash, followed by even number from 02 thru 50, followed by A thru Z or blank, followed by any one to four digits or blank, followed by dash, followed by any one or two digits, letters or blank, followed by dash, followed by any one or two digits, letters or blank.

Connectors, Model(s): 254, followed by any one to four digits, letters or blank, followed by dash, followed by 01 thru 40, followed by A thru Z or blank, followed by any one to four digits, letters or blank, followed by dash, followed by any one to three digits, letters or blank.

Connectors, Model(s): A10, followed by 000 thru 999, followed by A Thru Z, follow by -02 thru -06, follow by A thru Z, follow by -13, follow by -A thru -Z, follow by A thru Z, follow by 1 thru 9.

Connectors, Model(s): A20, followed by any one to four digits, letters or blank, followed by dash, followed by even number from 02 thru 40, followed by A thru Z or blank, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three digits, letters or blank.

Connectors, Model(s): A250, followed by any one to four digits, letters or blank, followed by dash, followed by even number from 02 thru 16, followed by A thru Z or blank, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three digits, letters or blank.

Connectors, Model(s): A30, followed by any one to four digits, letters or blank, followed by dash, followed by even number from 02 thru 24, followed by A thru Z or blank, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three digits, letters or blank.

Connectors, Model(s): A350, followed by any one to four digits, letters or blank, followed by dash, followed by 02 thru 08, followed by A thru Z or blank, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three digits, letters or blank.

Connectors, Model(s): A396, followed by 0 thru 9, follow by A thru Z, or AA thru ZZ, follow by -02 thru -12, follow by A thru Z, follow by -01, follow by -A thru -Z, followed by -0 thru -9, or blank.

Connectors, Model(s): A40, followed by any one to five digits, letters or blank, followed by dash, followed by 08, 14, 23 or 35, followed by A thru Z or blank, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three digits, letters or blank.

Connectors, Model(s): A414, followed by 00 thru 99, followed by A thru Z, follow by -02, -04, -06, -08, -10, -12, -14, -16, -18, -20, -22 or -24, follow by A thru Z, follow by -00 thru -99, follow by -A thru -Z.

Connectors, Model(s): A420, followed by any one to four digits, letters or blank, followed by dash, followed by even number from 02 thru 24, followed by A thru Z or blank, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three digits, letters or blank.

Connectors, Model(s): A57 follow by 00 thru 99, follow by 1, follow by A thru Z, follow by -02, -04, -06, -08, -10, or -12, follow by A thru Z, follow by -01, follow by -A thru -Z.

Connectors, Model(s): A57, followed by 00 thru 99, follow by A thru Z, follow by -02 thru -08, follow by A thru Z, follow by -01, follow by -A thru -Z.

Connectors, Model(s): A635, followed by any one to five digits, letters or blank, followed by dash, followed by 02 thru 06, followed by A thru Z or blank, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one or two digits, letters or blank.

Connectors, Model(s): B254, followed by any one to four digits, letters or blank, followed by dash, followed by even number from 06 thru 26, followed by A thru Z or blank, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three digits, letters or blank.

Connectors, Model(s): CS254, followed by any one digits, letters or blank, followed by dash, followed by even number from 06 thru 26, followed by A thru Z or blank, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one or two digits, letters or blank.

Connectors, Model(s): H10, followed by 000 thru 999, followed by A Thru Z, follow by -02 thru -06, follow by -A thru -Z.

Connectors, Model(s): H20, followed by any one to four digits, letters or blank, followed by dash, followed by even number from 02 thru 40, followed by P, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three digits, letters or blank.

Connectors, Model(s): H250, followed by any one to four digits, letters or blank, followed by dash, followed by even number from 02 thru 16, followed by P, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three digits, letters or blank.

Connectors, Model(s): H30, followed by any one to four digits, letters or blank, followed by dash, followed by even number from 02 thru 24, followed by P, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three letters or blank.

Connectors, Model(s): H350, followed by any one to four digits, letters or blank, followed by dash, followed by 02 thru 08, followed by P, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three letters or blank.

Connectors, Model(s): H396, followed by 0 thru 9, or 00 thru 99, follow by -02 thru -12, follow by -00 thru -99, follow by -A thru -Z.

Connectors, Model(s): H40, followed by any one to five digits, letters or blank, followed by dash, followed by 08, 14, 23 or 35, followed by P, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three digits, letters or blank.

Connectors, Model(s): H414, followed by 00 thru 99, followed by A thru Z, follow by -02, -04, -06, -08, -10, -12, -14, -16, -18, -20, -22 or -24, follow by P, follow by -A thru -Z.

Connectors, Model(s): H42, followed by any one to four digits, letters or blank, followed by dash, followed by even number from 02 thru 24, followed by P, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three letters or blank.

Connectors, Model(s): H57, follow by 00 thru 99, follow by 1, follow by -02, -04, -06, -08, -10, or -12, follow by P, follow by -A thru -Z.

Connectors, Model(s): H57, followed by 00 thru 99, follow by -02 thru -08, follow by P, follow by -A thru -Z.

Connectors, Model(s): H635, followed by any one to four digits, letters or blank, followed by dash, followed by 02 thru 06, followed by P, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one or two digits, letters or blank.

Connectors, Model(s): S20, followed by any one to four digits, letters or blank, followed by dash, followed by even number from 02 thru 50, followed by A thru Z or blank, followed by any one to three digits or blank, followed by dash, followed by any one or two digits or blank, followed by dash, followed by any one to three digits, letters or blank.

Connectors, Model(s): S254, followed by any one to four digits, letters or blank, followed by dash, followed by 01 thru 40, followed by A thru Z or blank, followed by two digits or blank, followed by dash, followed by any one or two digits, letters or blank, followed by dash, followed by any one to three digits, letters or blank.

Last Updated on 2025-09-23

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.

Wiring Harnesses - Component

COMPANY

BRIGHT-E ELECTRONIC TECHNOLOGY LTD

No. 1 He Shi Road, Huang Ni Tang, ChangPing Town
Dongguan, Guangdong 523567 China

E505886

Marking: Company name model designation, and the Recognized Component Mark 

Note: For additional marking information, refer to the [Guide Information Page](#).

Type(s): Wiring Harnesses

Last Updated on 2024-12-06

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."

2026-08-19

Sam Sun
BRIGHT-E ELECTRONIC TECHNOLOGY LTD
No. 1 He Shi Road, Huang Ni Tang, ChangPing Town
Dongguan, Guangdong, 523567, CN

Notice of Completion (NoC) and authorization to apply the UL Mark

Your reference:

Our reference: File E554147, Volume 1

Order: 16338159

Project: 4792252833

Project scope: PRODUCT COVERED:

USR, CNR - Component, Non-insulated quick-connect connectors, locking type,

Cat. No. 110, followed by AAA thru ZZZ, followed by -W, followed by 00 thru 99, followed by A thru Z, followed by -AA thru -ZZ, followed by -A thru -Z or blank, followed by A thru Z.

Cat. No. 187, followed by AAA thru ZZZ, followed by -W, followed by 00 thru 99, followed by A thru Z, followed by -AA thru -ZZ, followed by -A thru -Z or blank, followed by A thru Z.

Cat. No. 250, followed by AAA thru ZZZ, followed by -W, followed by 00 thru 99, followed by A thru Z, followed by -AA thru -ZZ, followed by -A thru -Z or blank, followed by A thru Z.

USR, CNR - Component, Non-insulated production tabs,

Cat. No. 110, followed by AAA thru ZZZ, followed by -B, followed by 00 thru 99, followed by -AA thru -ZZ, followed by -A thru -Z or blank, followed by A thru Z.

Cat. No. 187, followed by AAA thru ZZZ, followed by -B, followed by 00 thru 99, followed by -AA thru -ZZ, followed by -A thru -Z or blank, followed by A thru Z.

Cat. No. 250, followed by AAA thru ZZZ, followed by -B, followed by 00 thru 99, followed by -AA thru -ZZ, followed by -A thru -Z or blank, followed by A thru Z.

Dear Sam Sun:

We appreciate that you have a choice of certification providers and thank you for choosing UL Solutions. We have completed the investigation under the above project and confirmed compliance of your product(s) with UL Mark requirements.

This letter temporarily supplements the UL Follow-Up Services Procedure and serves as authorization to apply the UL Mark at the factory location(s) identified on the Authorization Page of UL Solutions File E554147, Volume 1. You are required to send a copy of this letter to all manufacturing locations authorized under UL Solutions File E554147, Volume 1.

The Follow-Up Services Procedure covering your product(s) will typically be provided by UL Solutions within 10 business days. Any information and documentation provided to you involving the UL Mark services are provided on

behalf of UL LLC or any authorized licensee. The UL Solutions certification directory is updated with active certifications shortly after projects are reviewed and completed. Please visit <https://productiq.ulprospector.com/> to search for the certification.

Products that bear the UL Mark must be identical to those submitted to UL for evaluation and certification and must comply with the Follow-Up Services Procedure covering your product(s). Additional requirements related to the responsibilities of the Applicant and Manufacturer can be found under **Customer Requirements documents** at www.ul.com/fus.

A UL Solutions certification is a valuable marketing tool meaning your product or company has successfully met stringent requirements. We encourage you to use your UL Mark and certification in your marketing activities. We are happy to provide guidance on how best to promote your UL certification. Our [Certification Achievement Kit](#) demonstrates marketing and promotional concepts to help you best represent your UL certification.

UL Solutions is committed to providing you with an exceptional customer experience. You may receive an email from ULSurvey@feedback.ul.com inviting you to provide feedback. Your survey rankings and comments regarding the experience are important to us. We are always seeking ways to improve in any areas we can, and your feedback and comments are vital to this process.

If you have any questions, please contact me or any of our customer service representatives at www.ul.com/contact-us.

Sincerely,

Houser Huang
Project Engineer
UL Solutions
Houser.Huang@ul.com

David Piecuch
UL Mark Certification Program Manager
UL LLC
David.Piecuch@ul.com

d72fc88e33fb4c41afb0ed7dc72278fd

Certificate of Compliance

Certificate Number(s):

UL-US-26129919-0

Report Reference:

E554147-20260819

Issue Date:

2026-08-24

Issued to:

BRIGHT-E ELECTRONIC TECHNOLOGY LTD

No. 1 He Shi Road, Huang Ni Tang, ChangPing Town, Dongguan, Guangdong, 523567, CN

This certificate confirms that representative samples of:

RFWV2 - Electrical Quick-connect Terminals - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 310, Edition 10, Issue Date 2023-11-30

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch

UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-US-26129919-0
Report reference: E554147-20260819
Issue Date: 2026-08-24

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Non-insulated production tabs

Model(s): 110, followed by AAA thru ZZZ, followed by -B, 187, followed by AAA thru ZZZ, followed by -B, 250, followed by AAA thru ZZZ, followed by -B , followed by 00 thru 99, followed by -AA thru -ZZ, followed by -A thru -Z or blank, followed by A thru Z.

Non-insulated quick-connect connectors, locking type

Model(s): 110, followed by AAA thru ZZZ, followed by -W, 187, followed by AAA thru ZZZ, followed by -W, 250, followed by AAA thru ZZZ, followed by -W , followed by 00 thru 99, followed by A thru Z, followed by -AA thru -ZZ, followed by -A thru -Z or blank, followed by A thru Z.

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number(s):

UL-CA-2695601-0

Report Reference:

E554147-20260819

Issue Date:

2026-08-24

Issued to:

BRIGHT-E ELECTRONIC TECHNOLOGY LTD
No. 1 He Shi Road, Huang Ni Tang, ChangPing Town,
Dongguan, Guangdong, 523567, CN

This certificate confirms that representative samples of:

RFWV8 - Electrical Quick-connect Terminals Certified for
Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

CSA C22.2 No. 153:23, Edition 4, Issue Date 2023-11-30

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-CA-2695601-0
Report reference: E554147-20260819
Issue Date: 2026-08-24

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Non-insulated production tabs

Model(s): 110, followed by AAA thru ZZZ, followed by -B, 187, followed by AAA thru ZZZ, followed by -B, 250, followed by AAA thru ZZZ, followed by -B , followed by 00 thru 99, followed by -AA thru -ZZ, followed by -A thru -Z or blank, followed by A thru Z.

Non-insulated quick-connect connectors, locking type

Model(s): 110, followed by AAA thru ZZZ, followed by -W, 187, followed by AAA thru ZZZ, followed by -W, 250, followed by AAA thru ZZZ, followed by -W , followed by 00 thru 99, followed by A thru Z, followed by -AA thru -ZZ, followed by -A thru -Z or blank, followed by A thru Z.

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

