



.059" (1.50mm) Pitch/Disconnectable Insulation Displacement Connectors

.059" (1.50mm) Connectors



.059"(1.50mm) Pitch SMT Wafer

Specifications:

Material And Finish:

Insulator:PA9T/LCP UL94V-0 Color:Black

Contact:Copper Alloy

Plated:See Ordering Information

Rating:

Current Rating:4.0 Amp

Voltage Rating:350V AC/DC

Operating Temperature Range:-40°~+125°C

Electrical:

Contact resistance:20m Ohm Max

Insulator resistance:1000M ohm min.




Withstanding Voltage:500V AC/Minute



HJBRIGHT®

Ordering Information
A15000H-20Q-02-D
1 2 3 4 5

- 1:— Series No.
2:— H: Horizontal SMT Type
3:— No. of Positions
4:— Q: Tin Plated
5:— D: In Tape & Reel



Specifications:

Material And Finish:

Insulator:LCP /PA9T UL94V-0

Contact:Copper Alloy

Plated:See Ordering Information

Rating:

Current Rating:4.0 Amp

Voltage Rating:350V AC/DC

Operating Temperature Range:-40°~+125°C

Electrical:

Contact resistance:20m Ohm Max



Insulator resistance:1000M ohm min.

Withstanding Voltage:500V AC/Minute





Ordering Information
A15000M-20S-XX-M
1 2 3 4 5 6

- 1:— Series No.
2:— M: SMT Type
3:— No. of Positions
4:— S: Matte Tin Plated
5:— Color:
01: Natural
02: Black
6:— M: W/Mylar In Tape & Reel



PCB Layout



东莞市华晶电子有限公司
<http://www.hjbright.com>

.059"(1.50mm) Pitch Housing / Terminal

HJBRIGHT®

Specifications:

Material And Finish:

Insulator:PBT/PA66 UL94V-0, Color:Black

Rating:

Current Rating:3.4 Amp

Voltage Rating:350V AC/DC

Operating Temperature Range:-40°~+105°C

Contact Resistance:20mΩ Max

Insulation Resistance 1000MΩ Min

Withstanding Voltage:500V AC/mlnute



Ordering Information


H15000-20P-A

1 2 3

1:—Series No.

2:—No. of Positions

3:—A:In Bag



Specifications:

Material:Copper alloy

Wire Range:AWG#24-28

Insulation O.D.:1.2(max)



Ordering Information


H15000T-PQ

1 2 3

1:—Series No.

2:—T:Terminal

3:—Q:Plated Tin



东莞市华晶电子有限公司
<http://www.hjbright.com>