

.087"(2.20mm) Pitch/Disconnectable Insulation Displacement Connectors

.087"(2.20mm) Connectors



.087" (2.20mm) Pitch 90° / 180° Wafer

Specifications:

Material And Finish:

Insulator:PBT UL94V-0 Color:Natural

Contact:Brass

Rating:

Current Rating:3.0 Amp

Operating Temperature Range:-40°C~+125°C

Electrical:

Contact resistance:10m Ohm Max

Insulator resistance:1000M ohm min.

Withstanding Voltage:1000V AC/Minute

HJBRIGHT®

Ordering Information

A22011R-XXQ-01-C
1 2 3 4 5




1:—Series No.

2:—R:R/A Type

3:—No. of Positions

4:—Q: Tin Plated

5:—C: In Tray



Part No	Dimension mm			
	A	B	C	D
12	9.6	18.6	18.3	9.6
16	14.0	23.2	17.0	14.0
20	21.5	27.7	18.4	18.4
24	22.8	32.0	18.2	22.8
28	27.2	36.4	18.2	27.2
32	31.6	40.8	18.4	31.6
40	41.8	49.8	18.1	40.4

Specifications:

Material And Finish:

Insulator:PBT UL94V-0 Color:Natural

Contact:Brass

Plated:See Ordering Information

Rating:

Current Rating:3.0 Amp

Operating Temperature Range:-40°C~+125°C

Electrical:

Contact resistance:10m Ohm Max

Insulator resistance:100M ohm min.

Withstanding Voltage:1000V AC/Minute

Ordering Information

A22011S-XXQ-01-C
1 2 3 4 5




1:—Series No.

2:—R:R/A Type

3:—No. of Positions

4:—Q: Tin Plated

5:—C: In Tray



Recommended PCB Layout

Part No	Dimension mm		
	A	B	C
12	6.6	9.2	11.97
16	11.0	13.6	18.60
20	15.4	18.0	23.00
24	24.2	26.8	31.60
28	28.6	31.2	36.30
32	33.0	35.6	40.60
40	41.8	40.0	49.60

东莞市华晶电子有限公司
<http://www.hjbright.com>

.087" (2.20mm) Pitch Housing / Terminal

Specifications:

Material And Finish:

Insulator:PBT UL94V-0 Color:Natural

Wire Rang: 0.3-0.5MM²

Temperature Range:-40°C~+125°C



HJBRIGHT®

Ordering Information

H22011-XXP-XA
1 2 3 4




1:— Series No.

2:—No. of Positions

3:—N:Natural

B:Black


4:—A:In Bag



12P




16P



24P



32P



40P

Material:

Material:Phosphor Bronze

Plating:Tin Plated

WIRE Range: 0.3~0.5mm²

Temperature Range:-40°C~125°C

Qty/Reel:8000PCS






Ordering Information

H22011T-PQ
1 2 3

1:— Series No.

2:— T:Terminal

3:— Q:Tin Plated



东莞市华晶电子有限公司
<http://www.hjbright.com>